AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A method of forming a liquid crystal layer on a substrate, comprising:

preparing a liquid crystal material in a projecting portion;

applying an on voltage to a resonator during emitting of the liquid crystal material to generate a vibration so as to apply a pressure to the projecting portion to emit the liquid crystal material from the projecting portion;

moving the substrate in one direction; and

depositing the liquid crystal material from the projecting portion uniformly onto the substrate during the moving of the substrate in the one direction.

- 2. (Previously Presented) The method according to claim 1, wherein the projecting portion has a nozzle plate containing a plurality of orifices, the nozzle plate adjusting the applied pressure for emitting the liquid crystal material, the liquid crystal material being emitted through the plurality of orifices.
 - 3. (Cancelled)
- 4. (Original) The method according to claim 1, wherein the liquid crystal material is emitted and deposited in a vacuum chamber.
 - 5. (Cancelled)

6. (Previously Presented) The method according to claim 1, wherein the generated

vibration is transmitted to the projecting portion through a resonating plate.

7. (Currently Amended) The method according to claim 1, wherein the substrate has a

black matrix under a sealed pattern.

8. (Original) The method according to claim 7, wherein the liquid crystal material start

and stop is deposited on the black matrix.

9. (Previously Presented) An apparatus for forming a liquid crystal layer on a substrate,

comprising:

a projecting portion for emitting a liquid crystal material;

a resonator for generating a vibration upon application of an on voltage to the resonator

during emitting of the liquid crystal material;

a resonating plate located between the resonator and the projecting portion for

transmitting the vibration to the projecting portion so as to apply a pressure to the projecting

portion to emit the liquid crystal material from the projecting portion; and

a stage for moving the substrate in one direction during emitting of the liquid crystal

material from the projecting portion uniformly onto the substrate.

10. (Previously Presented) The apparatus according to claim 9, wherein the projecting

portion has a nozzle plate containing a plurality of orifices, the nozzle plate adjusting the applied

Docket No.: 3430-0175P

Page 4 of 12

pressure for emitting the liquid crystal material, the liquid crystal material being emitted through the plurality of orifices.

11. (Cancelled)

- 12. (Previously Presented) The apparatus according to claim 9, wherein means is provided for moving the stage.
- 13. (Original) The apparatus according to claim 9, further comprising a vacuum chamber for encompassing the projecting portion, the resonator and the resonating plate.
- 14. (Previously Presented) The apparatus according to claim 9, wherein means is provided for generating vibration in the resonator.
- 15. (Previously Presented) The method according to claim 1, wherein the on voltage is applied according to a position of the moving substrate.
- 16. (Previously Presented) The apparatus of claim 9, wherein means is provided for applying the on voltage according to a position of the moving substrate.
- 17. (New) The method according to claim 1, wherein the liquid crystal material is emitted from the projecting portion by only the pressure applied to the projecting portion.

Application No. 10/028,433 Amendment dated June 26, 2006 After Final Office Action of January 24, 2006 Docket No.: 3430-0175P

Commence of the St.

Page 5 of 12

18. (New) The method according to claim 1, wherein the liquid crystal material is emitted

from the projecting portion by the pressure applied to the projecting portion without applying an

electric field to the liquid crystal material during emitting of the liquid crystal material.

19. (New) The apparatus according to claim 9, wherein the liquid crystal material is

emitted from the projecting portion by only the pressure applied to the projecting portion.

20. (New) The apparatus according to claim 9, wherein the liquid crystal material is

emitted from the projecting portion by the pressure applied to the projecting portion without

applying an electric field to the liquid crystal material during emitting of the liquid crystal

material.

Committee of the Commit